as the Clinf SSG requested

are being held in the Photo Section. Such originals are filed by lot number, CSLT number, 00 number and Foreign Service Post.

Duplicates of the captioned photographs are not being made. If it is desired that an extra copy of this material be made, it can be done.

2 - A. This requirement could best be met by requesting this	
information from, P.C. , ISG. The Photo Section does	STAT
not see nor are they aware of all publications that contain	
photographs. To accomplish this it would be necessary for the	
Photo Section to make an extra copy of each photo, then attempt	1
to obtain copies of all publications.	
lications along with the origina Mmaterial, including photographs, used to make up the publication and can provide the necessary control number to enable the Rhoto Photographic Section to locate the argued material if	STAT
and the second	

[How arrangements been made with Unit to borrow metasists on a weekly best ?]

Approved For Release 2006/12/13: CIA-RDP78-04546A000600010006-1

_Page T

26 Aug. 1971

STAT

⚠ B. Experiments in Retouching

To date several samples of photographs which needed retouching have been sent to the Printing Services Division Graphics Arts shop for retouching.

PSD, is following up on the completion of this work since the Graphics Art Shop would not give a date for the completion of this portion of the experiment.

The PSD GraphicsArts shop is working on retouching or spotting prints rather than negatives. Since this technique of air brushing and retouching the print is the same as that used by the OBGI art shop, no requirement for duplicate work was placed on OBGI. The Chief, SSG, was advised of this and agreed that there would be no need to duplicate the effort involved in this experiment.

In addition, the Photo Section has attempted to retouch the negatives involved in this same series and has found that the retouching could not be done by persons not trained in this work if a product suitable for publications was desired. As part of this experiment, the Chief, Photo Section, has contacted various photographic and art supply houses in the Washington area and has not yet been able to locate the necessary materials to perform additional in house experiments. Efforts in this direction will continue.

Approved For Release 2006/12/13: CIA-RDP78-04546A000600010006-1

Approved For Release 2006/12/13: CIA-RDP78-04546A000600010006-1

Page 2 Required solves 25X1

In addition to general retouching, i.e., removing lint, dust, etc., the technique of frisket or cutting out the image and placing it on a nutral background for rephotographic might be appropriate in certain cases, however, no experiments in this technique have been attempted since this represents a method to be used only in selected cases.

On the basis of discussion with persons in PSD/Graphics Arts, the easiest and most inexpensive method of accomplishing the type retouching necessary to improve the quality of the CRS product would involve retouching a print and rephotographing the retouched print. This technique requires between 1/2 to 1 1/2 hours per photograph depending upon the amount of area to be retouched.

Since the photo file does not reside in DPSD, it is not possible nto determine the quantity of photographs that would require retouching. This could only be determined by an indepth review of the existing photographs in the file. Such a review could only be accomplished by a person familiar with the area and political situation in each area involved. Primary consideration for retouching of photographs must take in to acount the potential for use of the photograph in a publication. This information cannot be determined by DPSD personnel.

7,020

Approved For Release 2006/12/13: CIA-RDP78-04546A000600010006-1

During fiscal year 1971 the ISG estimates that 313 photographs
were used in Intelligence memoranda and Intelligence reports and another
100+ where used in reference. In addition seemed humber
on the basis of my subjective review of 185 photographs in such pub1 lications, I feel 82 or 44% could have been improved by masking and
24 or 13% would require retouching to improve them.

while criterice
In all cases where it is determined that a photograph might possibly would be used in a publication. I would necessity at the time of accessioning.

If such retouching were done at the time of accessioning, a negative for the production of a screen print as well as the master file negative and any necessary prints could/be produced at the same time and be held in file by the area analyst in anticipation of publication, thus eliminating the need for disruptive crash requirements for photogaphs for publication.

In summary, the following techniques may be used in retouching no single one would apply to all cases:

1. Retouch the original photograph prior to preparing the master negative. In the case of loan material, prepare a work print, retouch with and produce the master file negative with the normal loss of resolution for the extra generations from the original.

Note: This method can be used by most accomplished artists familiar with opaque, water colors, pencil sketching, frisket and air brushing techniques.

2. Retouch the negative preparing a duplicate for storage in the master file.

Note: This technique requires a person skilled in etching filling negative blemishes. Also this technique is least effective in correcting large areas which must be changed.

2 - C. Establishment of a Quality Control Point Scope of the problem

To review for proper masking and possible retouching an estimated 21,546 personality and 19,614 ground photographs (FY-71) prior to the preparation of negatives.

Also, this control point should review all photos supplied to customers to insure maximum quality (22,582 personality,

127,675 ground FY-71)

How meny unque?

Possible Solution

The ideal solution to the problem of improved quality would ä. be to have a small group, probably one for each area division, of photo analyst and typist, to handle all photo selection, framing and captioning. This group, under the supervision of a single individual, could then process all photography in a uniform manner. Such a group should be in constant touch with the various ISG area analysts who would provide information on the current situation in their area as well as assist in the development of requirements. Such a group would be responsible for maintaining and servicing the files of photographs for the area of their responsibility.

> In addition, if it is determined that the volume of retouching is sufficient to merit a retoucher on a full time basis, this individual would appropriately be placed in this group.

It is of paramount importance that any quality control point be given the authority to make the <u>final</u> decision on what represents the best possible photo reproduction.

An alternative solution to the establishment of such group would be to establish I professional and I clerical support employee to this task of technical review of input and finished product. These employees could review the work received from the ISG areas adjusting masks, checking captions, etc., however, the primary masking should be done in the area divisions, particularly in the case of masking from groups, since the control point would have problems with identification and selections.

In general, it is felt that the quality control group should maintain the necessary supplies and related photographic materials necessary for the accomplishment of the overall photo mission. As stated previously, if the volume of retouching merits the assignment of a full time artist, this position should be included in this group.